

MovoZ ZB





Installation and Service Manual Edition: 3 DW110428gb-0703

Version History

| Edition Number | Edition Date | Reason for Revision |
|----------------|--------------|----------------------------------|
| 1 | 2001 | Manual created |
| 2 | 2002 | Updated |
| | 2002 | |
| 3 | 2007-01-17 | Lubrication instructions changed |
| Ą | | |
| A | | |
| Á | | |
| Á Á Á | | |
| Á | | |
| Á | | |
| Á | | |
| | | |
| Á | | |
| Á | | |
| Á | | |
| Á | | |
| Á | | |
| Á | | |
| , | | |
| ά | | |

©2007 V@{ •[} - Printed in Sweden. All rights reserved.

Table of Content

| Section | 1 | Introduction | 3 |
|---------|---|--|----------------|
| Section | 2 | Type designation system | |
| Section | 3 | Installation 3.1 Mounting instructions 3.2 Installation of brake 3.3 Connection to motor flange 3.4 Connection of load | .4 .4 .5 |
| Section | 4 | Service and maintenance | .6 .6 |
| Section | 5 | Technical data | |

Section 1 Introduction

MovoZ ZB is a linear drive unit for lifting applications that only may be installed vertically. MovoZ ZB is built around a driving station, which is installed to the support, and the moving member, which consists of an extruded aluminium profile with a plate in the lower end to which the load is attached. A belt runs trough the profile and the drive station. The belt is driven by a motor, which is mounted to the drive shaft of the drive station. Thus the profile together with the load attachment plate can move along the ball guides which is installed in the drive station. MovoZ ZB is available in a number of different configurations, which are described in the type designation key on the next page.

In order to be able to use this manual properly, it is important to understand which type of MovoZ ZB you have. Feel free to contact Tollo Linear if there are any doubts as to the type or if you have any other questions. When you do so, please state the manufacturing number and the type designation of the MovoZ ZB, see figure 1.

Section 2 Type designation system



Table 1: Type designations

Section 3 Installation

3.1 Mounting instructions



Figure 1: Mounting instructions

- 1. Mount the unit with the aid of the holes in mounting plate of the drive station.
- 2. The unit must only be mounted vertically.
- 3. Definition of the measures S max. and L. Place for type sign and manufacturing number (a). State the manufacturing number at spare part ordering.

3.2 Installation of brake

Important!

As MovoZ ZB is not self raking the load attachment plate together with the load immediately will fall down if the driving force is disconnected. This means that MovoZ ZB must be equipped with an electrically operated spring loaded brake, which can hold the load. This can be mounted in the motor or be installed separately.

3.2 Connection to motor flange



Figure 2: Connection to motor flange

3.3 Connection of load



Figure 3: Connection of load

In order to minimise the load torque the load should be installed as close to the centre of the load attachment plate as possible

Section 4 Service and maintenance

4.1 General maintenance instructions

- The customer can perform the service and maintenance described in this manual. Other service ought to be performed by service personnel from Tollo Linear, either on-site or at a Tollo Linear Service Centre.
- Follow the recommended service intervals. Replace defective parts immediately. Only use parts of the same make and type as original. Ordering data can be found in the spare part lists supplied with the unit. Also state the manufacturing number of the unit (embossed in the upper end of the profile).
- MovoZ ZB is not self-braking. This means that the load attachment plate and the load immediately fall down to the lowest position if the brake is detached. Ensure therefore that the unit is secured or is placed horizontally before the brake is detached.
- Check the unit regularly. Particularly check for wear or damage on the belt, the suspensions and the connection of the load. Also be attentive towards a changed level of noise. Replace, repair or adjust.
- Keep the unit clean. Wipe it off as required. If cleaning fluid is required, use small amounts and see to it that none gets into MovoZ ZB, do not use strong cleaning agents. Dry it fully.

4.2 Lubrication

The unit is lubricated for life and does not require any additional lubrication.

4.3 Control and adjustment of belt tension



Figure 4: Adjustment of belt tension

- 1. Place the profile so that a = 192 mm.
- Measure the belt frequency with a frequency meter according to the instruction of the frequency meter being used. Correct frequency is 130 Hz ± 10. Measure so that the frequency is correct both in the middle (a) and at the sides of the belt (b and c).
- 3. If the frequency is not correct, loosen the lock screws (d) and turn the adjustment screws (e) until the correct frequency is set in the points a, b and c. At last, lock the lock screws again.

Section 5 Technical data

| MovoZ ZB | | MF-ZB |
|--------------------------------------|-------|---------------------------------------|
| Max. speed | (m/s) | 3 |
| Repeatability | (mm) | ± 0,1 |
| Ambient temperature | (°C) | -20 - +70 |
| Linear move / drive shaft revolution | (mm) | 200 |
| Max. input speed | (rpm) | 900 |
| Weight | (kg) | 15,5 + 8,6 × (L ^A – 0,487) |

^AL in meters, see figure 1

Table 2: Technical data

United Kingdom Thomson Office 9, The Barns Caddsdown Business Park Bideford Devon, EX39 3BT Phone: +44 (0) 1271 334 500 E-mail: sales.uk@thomsonlinear.com

Germany

Thomson Nürtinger Straße 70 72649 Wolfschlugen Phone: +49 (0) 7022 504 0 Fax: +49 (0) 7022 504 405 E-mail: sales.germany@thomsonlinear.com

France

Thomson Phone: +33 (0) 243 50 03 30 Fax: +33 (0) 243 50 03 39 E-mail: sales.france@thomsonlinear.com

Italy

Thomson Largo Brughetti 20030 Bovisio Masciago Phone: +39 0362 594260 Fax: +39 0362 594263 E-mail: info@thomsonlinear.it

Spain Thomson E-mail: sales.esm@thomsonlinear.com

Sweden

Thomson Estridsväg 10 29109 Kristianstad Phone: +46 (0) 44 24 67 00 Fax: +46 (0) 44 24 40 85 E-mail: sales.scandinavia@thomsonlinear.com

SOUTH AMERICA

Brazil Thomson Av. Tamboré, 1077 Barueri, SP – 06460-000 Phone: +55 (11) 3616-0191 Fax: +55 (11) 3611-1982 E-mail: sales.brasil@thomsonlinear.com

USA, CANADA and MEXICO Thomson 203A West Rock Road Radford, VA 24141, USA Phone: 1-540-633-3549 Fax: 1-540-633-0294 E-mail: thomson@thomsonlinear.com Literature: literature.thomsonlinear.com

ASIA

Asia Pacific Thomson E-mail: sales.apac@thomsonlinear.com

China

Thomson Rm 2205, Scitech Tower 22 Jianguomen Wai Street Beijing 100004 Phone: +86 400 6661 802 Fax: +86 10 6515 0263 E-mail: sales.china@thomsonlinear.com

India

Thomson c/o Fluke Technologies Pvt. Ltd. #424, Deodhar Center, Marol Maroshi Road, Andheri – E, Mumbai – 400059 India Phone: +91 22 29207641 E-mail: sales.india@thomsonlinear.com

Japan

Thomson Minami-Kaneden 2-12-23, Suita Osaka 564-0044 Japan Phone: +81-6-6386-8001 Fax: +81-6-6386-5022 E-mail: csjapan@scgap.com

Korea

Thomson F7 llsong Bldg, 157-37 Samsung-dong, Kangnam-gu, Seoul, Korea (135-090) Phone: +82 2 6917 5049 Fax: +82 2 528 1456 E-mail: sales.korea@thomsonliear.com



DW110428gb-0703 Edition: 3

Installation and Service Manual